

## SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : SUNPAT L(Principal)  
COMPANY NAME : BANDO CHEMICAL INDUSTRIES, LTD.  
ADDRESS : TSUCHIYAMA, HIRAOKA-CHO, KAKOGAWA, HYOGO 675-0104 JAPAN  
PHONE NUMBER : 078-942-8774/ JAPAN  
FACSIMILE NUMBER : 078-941-0386/JAPAN  
REFERENCE NUMBER : 1094  
RECOMMEND USE : Used as an adhesive for Conveyor Belt by adding of a  
predetermined amount of hardener.  
(This unit is not adhesive)

2. HAZARD IDENTIFICATION

## GHS CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

## PHYSICAL HAZARDS

- Explosives : Not applicable
- Flammable gases : Not applicable
- Flammable aerosols : Not applicable
- Oxidizing gases : Not applicable
- Gases under pressure : Not applicable
- Flammable liquids : Not classified
- Flammable solids : Not applicable
- Self-reactive substances and mixtures : Not applicable
- Pyrophoric liquids : Not classified
- Pyrophoric solids : Not applicable
- Self-heating substances and mixtures : Unclassifiable
- Water-reactive flammable chemicals : Not applicable
- Oxidizing liquids : Not applicable
- Oxidizing solids : Not applicable
- Organic peroxides : Not applicable
- Corrosive metals : Unclassifiable

## HEALTH HAZARDS

- Acute toxicity (oral) : Not classified
- Acute toxicity (skin) : Unclassifiable
- Acute toxicity (inhalation: gas) : Not applicable

- Acute toxicity (inhalation: vapour) : Unclassifiable
- Acute toxicity (inhalation: dust, mist) : Unclassifiable
- Skin corrosion / irritation : Category 3
- Serious eye damages / eye irritation : Unclassifiable
- Respiratory sensitization : Unclassifiable
- Skin sensitization : Unclassifiable
- Germ cell mutagenicity : Unclassifiable
- Carcinogenicity : Category 2
- Reproductive toxicity : Unclassifiable
- Specific target organ toxicity: single exposure : Unclassifiable
- Specific target organ toxicity: repeated exposure : Category 1(Lung)
- Aspiration hazard : Unclassifiable

ENVIRONMENTAL HAZARDS

- Aquatic toxicity (acute) : Unclassifiable
- Aquatic toxicity (chronic) : Unclassifiable

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

SYMBOL



SIGNAL WORD : Danger

HAZARD STATEMENT

- Causes slight skin irritation.
- May cause cancer.
- Repeated or prolonged overexposure causes damages to lung.

3. COMPOSITIO/INFORMATION ON INGREDIENTS

Description on Product

Kind: Liquid polybutadiene compound

Components and contents (subject to hazardous toxic substances)

Ingredient	CAS No.	Contents (%)
Liquid polybutadiene	69102-90-5	65-75
Carbon black	1333-86-4	25-35

#### 4. FIRST AID MEASURES

##### Eye Contact:

- Immediately wash eyes with large volumes of clean running water for at least 15 minutes.
- Thoroughly wash even the back of eyelid.
- Get medical aid as soon as possible.

##### Skin Contact:

- Quickly wipe away the stuck material with cloth.
- Thoroughly flush the affected area with large quantities of running water and soap or detergent for skin. Never attempt to use any solvent or thinner.
- If any change is observed in appearance or pain persists, immediately take necessary procedure to seek medical attention.

##### When Inhaled:

- Immediately direct the victim to go out to a place with fresh air.
- If the victim feels nausea, obtain medical attention.

##### When Ingested:

- Never give anything by mouth to an unconscious person.
- Get medical aid.

#### 5. FIRE PROCEDURES

##### Applicable fire extinguishers:

Water [] Carbon Dioxide [] Foam [] Powder [] Dry sand [] Others [  ]

##### Fire-fighting method:

- Powder, carbon dioxide, or dry sand are effective in the case of early fire-fighting.
- Do not use water for fire-fighting.
- Wear proper protective devices (heat-resistant clothes, etc.).

#### 6. SPILL, LEAK, AND DISPOSAL PROCEDURES

- In the case of indoor place, keep well-ventilated.
- Use proper personal protective equipment as indicated in Section 7.
- Avoid runoff into storm sewers and ditches which lead to waterways.
- Absorb spill with inert material (e.g. dry sand or sawdust), then place in suitable container.
- Dispose of stuck material, wastes, etc. in conformity to applicable laws and regulations.
- Remove with non-sparking tools.
- Remove all sources of ignition. Prepare suitable extinguishers to provide against ignition.

## 7. PRECAUTIONS FOR HANDLING AND STORAGE

### Precautions for handling:

- Prohibit the use of fire, spark, and high-temperature material in the vicinity.
- Handle in a well-ventilated place.
- Tightly seal the container each time it is used.
- To take measures against static electricity, ground the equipment etc. and use explosion-proof (increased safety type) electrical equipment.
- Use spark-prevention type tools.
- Wear antistatic clothes and gloves.
- Wash thoroughly after handling.

### Precautions of storage:

- Store in a tightly closed container.
- Store in a cool, dry place.
- Avoid direct sun rays. Store in a well-ventilated place.
- Keep away from fire and heating source for storage.

## 8. PREVENTION OF EXPOSURE

### Prevention measures for equipment:

- Install localized exhaust system, etc. to prevent workers from direct exposure.
- Use explosion-proof type equipment for handling.
- Equipment for transporting, scooping, agitating etc. must be electrically grounded.

### Protective devices:

Eye protection: Wear safety goggles or spectacles.

Skin protection: Wear gloves of material that does not allow organic solvent or chemicals to permeate.

Respiratory protection: Wear respirator for organic gas.

In a confined place, wear an air-supplied respirator.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Condition	: Paste
Color	: black
Smell	: slight smell
Boiling point	: >300° C
Vapor pressure	: -
Density (specific gravity)	: 1.38
pH value	: -
Others	: -

10. FIRE AND EXPLOSION HAZARD INFORMATION (STABILITY AND REACTIVITY)Product characteristics:

Flash point : 298° C

Autoignition temperature : 400° C

Lower explosion limit : -

Reactivity and Stability Information:

Hazardous substance by contact: oxidizer

Generation of toxic gas by combustion: CO and NOx, gas, etc. are generated.

Other reactivity information: Above 50°C, this product polymerizes by oxidation.

Other Explosion Hazard Information:

Particular information not available.

11. HEALTH HAZARD INFORMATION (INCLUDING SYMPTOMS ON HUMANS AND EPIDEMIOLOGICAL INFORMATION)Health Hazard and Exposure Concentration Criteria of Component Materials

Material name	Control concentration	AGGIH (ppm)	AGGIH (mg/m <sup>3</sup> )	IARC	LD50 (Oral)	Other health hazard
Liquid polybutadiene	-	-	-	-	>34.6 g/kg (rat)	
Carbon black			3.5	2B	15.4 g/kg (rat)	

Other Health Hazard Information on Component Material

Particular information not available.

Health Hazard Information on Product

Particular information not available.

12. ENVIRONMENTAL IMPACT INFORMATION

- In the case of leakage or disposal, the liquid may have detrimental effects on the environment, and utmost care is requested in handling. In particular, the effective measures must be taken to prevent the product and/or the water used to wash it from directly flowing into ground surface, rivers, and drainage conduits.

### 13. PRECAUTIONS FOR DISPOSAL

- Dispose of wastes such as wastes, containers, etc. by executing disposal agreement with licensed waste disposal service provider.
- Do not attempt to allow wastewater, etc. used for cleaning containers, equipment, devices, etc. to directly flow into ground surface or drainage conduits.
- Dispose of or entrust disposal of wastes generated by wastewater treatment, incineration, etc. in conformity to Waste Disposal & Public Cleansing Law and applicable laws and regulations.
- When wastes, etc. are incinerated, use an incinerator equipped with an appropriate scrubber because toxic gas is generated.

### 14. PRECAUTIONS FOR TRANSPORTATION

Common Matters:	Abide by the description under the Section of “Precautions for Handling and Storage” . Check containers for no leakage, and load them carefully to avoid tumbling, dropping, damage and collapsing.
Land Transportation:	If the Fire Service Act, Industrial Safety and Health Law, or Poisonous and Deleterious Substances Control Law applies, abide the transportation method set forth in the relevant laws.
Marine Transportation:	Abide by the provisions set forth in the Shipping Safety Law.
Air Transportation:	Abide by the provisions set forth in the Air Navigation Law.
UN No. :	not available
UN classification:	not available

### 15 APPLICABLE LAWS

No information

### 16. ADDITIONAL INFORMATION (INQUIRY FOR CONTENTS, REFERENCES, ETC.)

- Japan Paint Industrial Association : “Raw Material Substance Database”

NOTE: The danger and hazard have not always been completely assessed.

Take utmost care in handling.